AUTHENTIC introduces





How to ?	Create an "Information monitor" in a HomePage based on a custom list
	Example : Create an Information monitor to follow-up blocked customer orders
Prerequisite	M3 DB basic knowledge and IES
Result	Have a monitor to track the number of anomalies, with color warning when number of anomalies too high

Steps

#1 Add information monitor widget to HomePage

Widget Catalog		Q, monit	\times \times Close
A Home	Application	☆ Save Filter	↓= Title A-Z ▼
E Categories	mont × Clear all		
All			
Application	+		
Business Intelligence	M3 Information Monitor		
Business Process			
Statistics & Usage	A widget that lets you create monitors for M3		
Social	information you use frequently.		
Utilities			
New & Opdated			
My Recent			
Refine by			
Application			
Owner 🗸			
Tags 🗸 🗸			
Turno			
•			

#2 Configure widget

M3 Information Monitor	+
	Configure
	Add Monitor
	Refresh
	About
	Advanced >

Give a title and refresh frequency

Configure Wi	dget	
Title		
Customer servi	ce monitors	â
Automatic refresh ra	ate	
15 minutes		•
		+ Add Monitor
Cancel		Save

#3 Add monitor



Define API and API transaction as for information viewer, as well as Input/Output fields:

Edit Monitor		
Primary action		
Open 💌		
Max record count		
Bookmark Options Get Ming.le Bookmark		
Program		
CMS100MI QE		
Transaction		
LstCdesBloc QE		
Input		
F_CUNO=ML;T_CUNO=ML9999;F_O Q ₹		
Output		
Display content as List Configure		
	Ť	
Cancel OK		

#4 Configure drilldown

⇔ Either drilldown

nilldown		L
	U	L
Open		L
Drilldown		L

Drilldown will just open the list as defined in the output fields defined previously



⇔ Or open

In this case you can define a bookmark (previously created in M3)

Ming.le bookmarks	
Ming.le bookmarks	
Commandes bloquées	· · ·
Cancel	ок

Clicking on monitor opens M3 bookamrk

infor 👬 Info															
≡ Menu						imande de v	ente. Ouvrir boîte à	outils						OIS300 Commande o	le vente. Ou
ACTIONS -	OPTIONS -	ASSOCIĖES 🗸	OUTILS -	⊞ ≣	101	5 O C	• (H)								
Nile c	de .										Ordre de tri: 2	-C.Order Stop	▼ Affichag	Option D02-Credit Stops	rs de filtre
Etabliss Retardé Statut + bas Statut haut		B01 → 22-Réservé		*	- 4	4-Liste prélév	vmnt	¥ ¥	Appliquer						
Commande bi	loqué - Limité cr	Blocage cde	Payeur ML100 ML0026	N* CDV 0001000225 0001000285	Dil.vDd 210519	Dt OA 210519	CDV Cde à libération auto	Bas 33 - Stock aff	ecté - A préparer	SHa	N* commande client	Texte cde	Val brute Pr	nt	,

#5 Configure severity indication

-	Severity	y indication	Configure	ţ
_	Drilldow	vn		
Configure	Severity Indica	ition		
Use the slider	to contigure one or mor	e severity indication levels to	or the monitor	
D: Blue	1: Green	2: Yellow	3: Red	
Higher than				
Lower than		0		
		2		
(Cancel	ок		
			I	
Configur		nation		
Configur Use the slide	e Severity India r to configure one or m	cation nore severity indication level	s for the monitor	
Configur Use the slide 0: Blue	e Severity India r to configure one or m 1: Green	cation nore severity indication level 2: Yellow	s for the monitor 3: Red	
Configur Use the slide 0: Blue Higher than	e Severity Indic r to configure one or m 1: Green	cation nore severity indication level 2: Yellow	s for the monitor a: Red	
Configur Use the slide 0: Blue Higher than	e Severity India to configure one or m 1: Green	cation hore severity indication level 2: Yellow	s for the monitor © 3: Red	
Configur Use the slide 0. Blue Higher than Lower than	e Severity Indic r to configure one or m 1: Green	cation hore severity indication level 2. Yellow	s for the monitor 3: Red	
Configur Use the slide 0: Blue Higher than Lower than	e Severity India r to configure one or m 1: Green	2: Yellow	s for the monitor 3: Red	
Configur Use the slide 0: Blue Higher than Lower than	e Severity Indic r to configure one or m 1: Green	2: Yellow	s for the monitor 3: Red	
Configur Use the slide 0: Blue Higher than Lower than	e Severity Indic r to configure one or m 1: Green	2: Yellow	s for the monitor 3: Red	
Configur Use the slide 0: Blue Higher than Lower than	e Severity Indic r to configure one or m 1: Green	2: Yellow	s for the monitor 3: Red	
Configur Use the slide 0. Blue Higher than	e Severity India r to configure one or m 1: Green Cancel	2: Yellow	s for the monitor 3: Red	
Configur Use the slide 0. Blue Higher than Lower than	Cancel	cation hore severity indication level 2. Yellow 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	s for the monitor 3: Red	
Configur Use the slide Distribution Use the slide Configur Use the slide	Cancel Configure one or n Cancel Configure one or n Cancel Configure one or n	2: Yellow 2: Yellow 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	s for the monitor 3: Red	
Configur Use the slide Higher than Lower than	Cancel	cation nore severity indication level 2. Yellow 5 Cation nore severity indication level 2. Yellow	s for the monitor 3: Red	
Configur Use the slide 0. Blue Higher than Configur Use the slide 0. Blue Higher than	Cancel	cation tore severity indication level 2. Yellow 5 Cation nore severity indication level 2. Yellow Cation 2. Yellow	s for the monitor 3: Red als for the monitor 3: Red	
Configur Use the slide Higher than Lower than Configur Use the slide	Cancel	2: Yellow	s for the monitor 3: Red als for the monitor 3: Red	
Configur Use the slide Higher than Use the slide Configur Use the slide 0: Blue Higher than Lower than	Cancel Disidown Cancel	cation nore severity indication level 2. Yellow 5 Cation nore severity indication level 2. Yellow 2. Yellow	s for the monitor 3: Red	

Cancel

ок



Need help or more information ? Reach us now A contact@authentic-grp.com